

TFL-2

Ref: LDATFL2S01

The end of line device model TFL-2 provides an accurate measurement of the impedance of the speaker line (400R/200R configurable load), in order to test the line integrity between the speakers and the PA/VA system. This allows to supervise the line until the last speaker without return cable, even when the line has smaller loads with just 1 or 2 speakers.

It is a small device, very simple to install in 70V or 100V speaker lines and with a low power consumption. Several devices can be connected to the same speaker line. It is compatible both with ONE and NEO systems with the latest firmware version.



Features:

- Supervision of 70V or 100V speaker lines.
- Easy connection and installation, surface mountable.
- Several devices can be connected to the same speaker line.
- Small dimensions.
- Low consumption.
- Higher accuracy on impedance measurements.
- Supervision until the last speaker, even in low load speaker lines.
- No return cables.
- 400R/200R configurable load for 19kHz tone.
- Compatible with ONE and NEO systems with the latest firmware version.

Technical specifications:

Model	TFL-2
Reference	LDATFL2S01
Input	100V or 70V PA line input, Max. consumption 15mA, 2 Pin Euroblock type
Selector	2 positions (400R/200R)
Enclosure	ABS, Black RAL9005
Weight	35gr / 1,24oz
Dimensions (H x W x D)	66,3mm x 20mm x 50mm / 2,61in x 0,73in x 1,97in
Accessories	Male Euroblock connector

Views

